Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	("6504995" or "6321293").pn.	USPAT; DERWENT	OR	ON	2005/06/26 16:29
L2	1	1 and display\$4	USPAT; DERWENT	OR	ON	2005/06/26 16:30
ß	2017	display\$4 with resolution with quality	USPAT; DERWENT	OR	ON	2005/06/26 16:30
L4	3	display\$4 with resolution with (quality adj information)	USPAT; DERWENT	OR	ON	2005/06/26 16:32
L5	0	display\$4 with resolution with (quality adj information) with (encod\$4 or compress\$4)	USPAT; DERWENT	OR	ON	2005/06/26 16:32
L6	44	display\$4 with resolution with (quality) with (encod\$4 or compress\$4)	USPAT; DERWENT	OR	ON	2005/06/26 16:32
L7	8	display\$4 with resolution with (image adj quality) with (encod\$4 or compress\$4)	USPAT; DERWENT	OR	ON	2005/06/26 17:12
L8	2	"5708473".pn.	USPAT; DERWENT	OR	ON	2005/06/26 16:45
L9	1	8 and display\$4	USPAT; DERWENT	OR	ON	2005/06/26 16:53
L10	0	display\$4 with (recompress\$4 or reencod\$4 or recod\$4) with resolution with quality	USPAT; DERWENT	OR	ON	2005/06/26 16:54
L11	59	display\$4 with (compress\$4 or encod\$4 or cod\$4) with resolution with quality	USPAT; DERWENT	OR	ON	2005/06/26 16:54
L12	0	display\$4 with (compress\$4 or encod\$4 or cod\$4) with resolution with (quality near information)	USPAT; DERWENT	OR	ON	2005/06/26 16:54
L13	13	display\$4 with (compress\$4 or encod\$4 or cod\$4) with resolution with (image adj quality)	USPAT; DERWENT	OR	ON	2005/06/26 16:58
L14	12	display\$4 with (compress\$4 or encod\$4 or cod\$4) with resolution with (image adj quality)	US-PGPUB	OR	ON	2005/06/26 16:59
L15	1	display\$4 with (recompress\$4 or reencod\$4 or recod\$4) with resolution with (image adj quality)	US-PGPUB	OR	ON	2005/06/26 16:59
L16	2	display\$4 with resolution with (image adj quality) with (encod\$4 or compress\$4)	EPO; JPO	OR	ON	2005/06/26 17:12

	บ	1	Do	ocument	ID	Issue	Date	Pages
1			US	687972	7 B2	200504	12	31
2			us	660054	8 B2	200307	29	28
3		х	US	635966	4 B1	200203	19	20
4		х	us	631390	2 B1	200111	06	30
5			US	590582) A	199905	18	11
6			US	588681	6 A	199903	23	20
7		Х	US	5537144	4 A	199607	16	22

	Title	Current OR	Current XRef
1	Decoding bit-plane- encoded data using different image quality for display	382/239	382/240
2	Image processing method and apparatus	355/40	348/96; 358/506; 396/311
3	Electro-optical display system for visually displaying polarized spatially multiplexed images of 3-D objects for use in stereoscopically viewing the same with high image quality and resolution	349/15	348/58; 349/96; 349/98; 359/23
4	Image processing method and apparatus	355/18	355/40; 355/77
5	Enhancement of digital images for electronic displays	382/299	345/428; 345/698; 358/451; 382/232
6	Method and system for recording spatially-multiplexed images of 3-D objects for use in stereoscopic viewing thereof	359/464	353/8; 359/465; 359/494
7	Electro-optical display system for visually displaying polarized spatially multiplexed images of 3-D objects for use in stereoscopically viewing the same with high image quality and resolution	348/58	348/54; 353/8; 359/465

	Retrieval Classif	Inventor	s	С	P	2	3	4	5
1		Sato; Makoto et al.	x						
2		Enomoto; Jun	х						
3		Faris; Sadeg M.	x						!
4		Enomoto; Jun	X						
5		Cushman; William H. et al.	х						
6	·	Faris; Sadeg M.	х	,					
7		Faris; Sadeg M.	X						

		Image Doc. Displayed	PT
1	US	6879727	
2	US	6600548	
3	US	6359664	
4	US	6313902	
5	US	5905820	
6	US	5886816	
7	US	5537144	

	υ	1	Document ID	Issue Date	Pages
8			US 4979041 A	19901218	18

	Title	Current OR	Current XRef
8	High definition television system	375/240.25	348/448; 348/489;
	celevision system		348/609

	Retrieval Classif	Inventor	S	С	P	2	3	4	5
8		Schreiber; William F.	X						

	Image Doc. Displayed	PT
8	US 4979041	

	บ	1	Document	ID	Issue Date	Pages
1			JP 2004289 A	333	20041014	24
2	•		JP 2004172 A	766	20040617	24

	Title	Current	OR	Current	XRef
1	DATA PROCESSING APPARATUS, DATA PROCESSING METHOD, PROGRAM, AND RECORDING MEDIUM				
	IMAGE BROWSING APPARATUS, IMAGE BROWSING STORAGE METHOD, PROGRAM, AND RECORDING MEDIUM				

	Retrieval Classif	Inventor	s	C	P	2	3	4	5
1		TAKAHASHI, AKIRA et al.	X						
2		SAKUYAMA, HIROYUKI et al.	x						

	Image Doc. Displayed	PT
1	JP 2004289333 A	
2	JP 2004172766 A	

Welcome, **Guest** [Sign In] Yahoo! My Yahoo! Mail

Search Home Help

ZAFICO SEARCH an apparatus comprising and a storage device for storing digi Search

Web Images Video Directory Local News Shopp

My Web BETA

Subscriptions (New)

Shortcuts

Advanced Search Preferences

Search Results 1 - 10 of about 33 for an apparatus comprisi

1. Interactive data transmitting apparatus, data receiving apparatus, data receiving meth ... storage means for ... for multiplexing said first digital data stream, said second dig further comprising ...

www.patentstorm.us/patents/6701524.html - 191k - Cached - More from this site - Save

2. **Data Communication Glossary** 电

Data Communications Glossary. Introduction. This data communications glossary is des in the data communications and networking environment. ... flow of data between centr devices to change data rates, perform ...

www.nickara.com/glossary_v0.htm - 247k - Cached - More from this site - Save - Block

3. Data Communication Glossary ^自

This is designed to provide the reader with definitions to the numerous technical terms alphabetically indexed with several hyperlinks to web resources. ... Contrast with digital used to compensate for ...

www.plccontrols.net/Data Comm Glossary.htm - 227k - Cached - More from this site - S

4. cost of collecting license fees 电

I often forget to update this line.) This is a list of software patents for which the disclosu software patents that I know of. It is a partial list.

lpf.ai.mit.edu/Links/prep.ai.mit.edu/patent-list - 119k - Cached - More from this site - Say

5. http://lpf.ai.mit.edu/Patents/abstracts/compression 电

4,558,302 Dec. 10, 1985 High speed data compression and decompression apparatu data. The smaller the compression ratio, the greater will be the savings in storage ... lpf.ai.mit.edu/Patents/abstracts/compression - 287k - Cached - More from this site - Say

6. http://www-swiss.ai.mit.edu/projects/lpf/Patents/abstracts/395575.1990-1992 Patent Number 4896289 Issue Date 1990 01 23 Appl. Data 079794 1987 07 29 Assigne addressing ... digital data processing system comprises at least a first input/output con www-swiss.ai.mit.edu/projects/lpf/Patents/abstracts/395575.1990-1992 - 525k - Cached

7. Terms and Definitions ®

... the input key for DES is ... device that possessed the fundamental properties of a m computers that ...

networking.ringofsaturn.com/Tools/terms.cgi?Action=ViewAll - 525k - Cached - More fro

8. United States Patent Application: 0020092019 9

... and in particular to a method and apparatus for creation, distribution ... data genera unique streams of ...

appft1.uspto.gov/netacgi/nph-Parser?Sect1=PTO1&Sect2=HITOFF&d=PG01&... - 263k

Yahoo! Search Results for an apparatus comprising and a storage device for storing digita... Page 2 of 2

- 9. more €
 - ... 444 appalling 901 **apparatus** 1042 apparent 5056 ... 3285 **compression** 554 compris **data** 17222 database 3266 ...
 - www.audiencedialogue.org/bnc15000alph.txt More from this site Save Block

1 2 Next

 Web
 Images
 Video
 Directory
 Local
 News
 Shopping

 Your Search:
 an apparatus comprising and a storage device for storing digit
 Search

Search anywhere on the Web, Get Yahoo! Toolbar now. It's easy and it's free.

Copyright © 2005 Yahoo! Inc. All rights reserved. <u>Privacy Policy</u> - <u>Terms of Service</u> - <u>Copyright/IP Policy</u> - <u>Submit Your Site</u> - <u>Job Openings</u>

Yahoo! My Yahoo! Mail Welcome, **Guest** [Sign In] Search Home Help

Web Images Video Directory Local News Shopp SEARCH an apparatus comprising and a storage device for storing digi Search

My Web BETA

Subscriptions (New)

Shortcuts

Advanced Search Preferences

Search Results ults 11 - 20 of about 33 for an apparatus compris

- 11. United States Patent Application: 0020032875 电 United States Patent Application. 20020032875. Kind Code. A1. Kashani, Mehdi. March appft1.uspto.gov/netacgi/nph-Parser?Sect1=PTO2&Sect2=HITOFF&p=1&u=/... - 225k -
- ... Dario Darken Data Dave's Davenport David ... compressed compressing compression stored stores storing story ... www.ma.utexas.edu/~jcorneli/d/prototype 3/etc/words/spell-test-words - More from this s
- 13. http://www.ma.utexas.edu/~hdm/site/prototype%203/etc/words/WCn 电 24415 the 19118 is 18982 of 17502 a 11285 and 7366 that 7257 to 6500 in 6052 1 551 3292 an 3244 by 3183 with 2961 item 2777 n 2772 as 2732 0 2658 A 2568 then 2557. ratio 49 nonnegative 49 II ... www.ma.utexas.edu/~hdm/site/prototype 3/etc/words/WCn - 161k - Cached - More from
- 14. EP949614 Matsushita european software patent Data recording/reproducing device, f ... medium for storing ... comprising a transfer means for transmitting control instruction pieces of digital data ... gauss.ffii.org/PatentView/EP949614 - More from this site - Save - Block
- 15. EP1111904 Texas european software patent Digital camera system and method Gai EP1111904 Texas instruments inc (US): Digital camera system and method Digitales k storage, manipulation, and transmission. The digital representation of ... frames/secon gauss.ffii.org/PatentView/EP1111904 - 201k - Cached - More from this site - Save - Bloc
- 16. Elecronics Music Dictionary ^自 Click on the alphabet below to access the desired term. A B C D E F G H I J K L M N C compression algorithm adopted for HDTV ... keep each device operating so they respe musicnet.chandra.ac.th/eng/elec-dic.htm - 257k - Cached - More from this site - Save - J
- 17. EP patents matching keyword 'television' [□] ... device for detecting moving television picture points for digital data flow compressi Method and apparatus ... gauss.bacon.su.se/indices/keyword/212 - 209k - Cached - More from this site - Save - E
- 18. EP patents matching keyword 'sensor' ^包 ... A coordinate input device and a ... and apparatus for wavelet based data compres controlling air-fuel ratio ... gauss.bacon.su.se/indices/keyword/193 - 236k - Cached - More from this site - Save - E
- 19. <u>"¹Ò¹Ø¡ÃÁ¹¹µÃÕÍÔàÅ¡·Ã͹Ô¤ ₽</u> àA×Í;"Ò¡ÍÑ¡ÉõÑÇáá¢Í§¤Ó·Õèµéͧ¡ÒÃ. ABCDEFGHIJKLMNOPQRSTU

- Yahoo! Search Results for an apparatus comprising and a storage device for storing digita... Page 2 of 2 keep each **device** operating so they respond instantly **to input** voltage demand ... dB re musicnet.chandra.ac.th/thais/elec-dic.htm 256k Cached More from this site Save -
 - 20. Software Patents (and other Patents) Involving Crystallography (Mainly trying to find release... storing such data, a ROM (read-only memory) with a stored program, a CRT (cathowww.ccp14.ac.uk/maths/software-patents/crystallography_patents.html 292k Cached

In order to show you the most relevant results, we have omitted some entries very similar to t If you like, you can <u>repeat the search with the omitted results included</u>.

Results Page: Prev ◀ 1 2

 Web
 Images
 Video
 Directory
 Local
 News
 Shopping

 Your Search:
 an apparatus comprising and a storage device for storing digit
 Search

Search from anywhere on the Web. Get Yahoo! Toolbar now. It's fast, easy and it's free.

Copyright © 2005 Yahoo! Inc. All rights reserved. <u>Privacy Policy</u> - <u>Terms of Service</u> - <u>Copyright/IP Policy</u> - <u>Submit Your Site</u> - <u>Job Openings</u>

⊠e-mail



Home | Login | Logout | Access In Alerts | Sitem

Welcome United States Patent and Trademark Office

Search Results

BROWSE SEARCH **IEEE XPLORE** GUIDE

Results for "(storage <in>metadata) <and> (display <and> resolution<in>metadata) <... Your search matched 6 of 1174497 documents. A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in **Descending** order.

» View Session History Modify Search » New Search (storage <in>metadata) <and> (display <and> resolution<in>metadata) <and> » Key Check to search only within this results set Display JEEE IEEE Citation C Citation & Abstract Format: JNL Journal or Magazine Select Article Information IEE Journal Progressive medical image transmission and compress Dilmaghani, R.S.; Ahmadian, A.; Ghavami, M.; Aghvami, A.I Signal Processing Letters, IEEE Volume 11, Issue 10, Oct. 2004 Page(s):806 - 809 or Magazine CNF IEEE AbstractPlus | References | Full Text; PDF(944 KB) | IEEE | Conference Proceeding 2. Hierarchical stochastic modeling of SAR imagery for IEE CNF IEE segmentation/compression Kim, A.; Krim, H.; Signal Processing, IEEE Transactions on [see also Acoustic and Signal Processing, IEEE Transactions on] Volume 47, Issue 2, Feb. 1999 Page(s):458 - 468 Conference **Proceeding** IEEE IEEE STD Standard AbstractPlus | References | Full Text; PDF(700 KB) | LEEE . 3. Virtual reality using the concentric mosaic: construction and data compression Heung-Yeung Shum; King-To Ng; Shing-Chow Chan; Image Processing, 2000. Proceedings. 2000 International C Volume 3, 10-13 Sept. 2000 Page(s):644 - 647 vol.3

AbstractPlus | Full Text: PDF(524 KB) | IEEE CNF 4. A framework for progressive medical image transmissic

compression Dilmaghani, R.; Ahmadian, A.; Oghabian, M.; [Engineering in Medicine and Biology, 2002. 24th Annual Cc and the Annual Fall Meeting of the Biomedical Engineering EMBS/BMES Conference, 2002. Proceedings of the Second Volume 2, 23-26 Oct. 2002 Page(s):1025 - 1026 vol.2 AbstractPlus | Full Text: PDF(264 KB) | IEEE CNF

5. A virtual reality system using the concentric mosaic: co rendering, and data compression
Heung-Yeung Shum; King-To Ng; Shing-Chow Chan;
Multimedia, IEEE Transactions on Volume 7, Issue 1, Feb. 2005 Page(s):85 - 95

AbstractPlus | Full Text: PDF(1376 KB) | IEEE JNL

6. MPEG video coding with temporal scalability
Huifang Sun; Kwok, W.;
Communications, 1995. ICC 95 Seattle, Gateway to Globali;
IEEE International Conference on
Volume 3, 18-22 June 1995 Page(s):1742 - 1746 vol.3
AbstractPlus | Full Text: PDF(396 KB) IEEE CNF

Help Contact U Securit © Copyright 200 Righ

#Inspec